# DEPARTMENT of ENVIRONMENTAL SERVICES Water Supply & Pollution Control Division - Biology Bureau

## LAKE TROPHIC DATA

## MORPHOMETRIC:

	FALLS RIVER DAM	Lake Area (ha):	37.23
Town:	ROLLINSFORD	Maximum depth (m):	6.7
County:	Strafford	Mean depth (m):	2.1
River Basin:	Coastal	Volume (m³):	786500
Latitude:		Relative depth:	1.0
Longitude:	70°49'05" W	Shore configuration:	1.43
Elevation (ft	t): 25	Areal water load (m/yr)	:
Shore length	(m): 3100	Flushing rate (yr ):	
Watershed are	ea (ha):	P retention coeff.:	
% watershed p	ponded:	Lake type: art	ificial

BIOLOGICAL:	27 February 1996	12 September 1995
DOM. PHYTOPLANKTON (% TOTAL) #1	NO DOMINANT; MOSTLY	APHANIZOMENON 95%
#2	SMALL PENNATE DIATOMS	MELOSIRA 5%
#3	& FILAMENTOUS ALGAE	
PHYTOPLANKTON ABUNDANCE (units/mL)		
CHLOROPHYLL-A (µg/L)		90.75
DOM. ZOOPLANKTON (% TOTAL) #1	NO ZOOPLANKTON	KERATELLA 34%
#2	OBSERVED	SYNCHAETA 21%
#3		
ROTIFERS/LITER	<1	284
MICROCRUSTACEA/LITER	<1	66
ZOOPLANKTON ABUNDANCE (#/L)	<1	430
VASCULAR PLANT ABUNDANCE		Common
SECCHI DISK TRANSPARENCY (m)		0.4
BOTTOM DISSOLVED OXYGEN (mg/L)	12.5	8.7
BACTERIA (E. coli, #/100 ml) #1		6
#2		20
#3		

## SUMMER THERMAL STRATIFICATION:

## not stratified

Depth of thermocline (m): None Hypolimnion volume  $(m^3)$ : None Anoxic volume  $(m^3)$ : None

CHEMICAL:			SALMON FA	ALLS RIVE DRD	R DAM
	27 Febru	uary 1996	12 September 1995		
DEPTH (m)	3.0		2.0		4.0
pH (units)	6.3		9.3		7.8
A.N.C. (Alkalinity)	3.0		25.9		23.2
NITRATE NITROGEN	0.13		0.50		0.73
TOTAL KJELDAHL NITROGEN	0.20		1.78		1.52
TOTAL PHOSPHORUS	0.018		0.078		0.091
CONDUCTIVITY (µmhos/cm)	63.7		246.0		247.0
APPARENT COLOR (cpu)	60		110		110
MAGNESIUM			1.87		
CALCIUM			11.9		
SODIUM			35.4		
POTASSIUM			2.49		
CHLORIDE	11		48		48
SULFATE			26		27
TN : TP	18		29		25
CALCITE SATURATION INDEX					


All results in mg/L unless indicated otherwise

### TROPHIC CLASSIFICATION: 1995

D.O.	s.D.	PLANT	CHL	TOTAL	CLASS
**	6	3	6	15	Eutro.

# COMMENTS:

- 1. This is an impoundment of the Salmon Falls River upstream of the Portland Road bridge. It is not considered to be a lake.
- 2. At the summer sampling the impoundment was suffering a dense bloom of the blue-green alga *Aphanizomenon*. The algal bloom caused an elevated pH reading and may have contributed to the high color values.
- 3. Essentially all water quality values (nutrients, cations, alkalinity, conductivity, etc.) were very high. Water clarity was about 15 inches.
- 4. The watershed area was not determined and related morphometric data were not calculated.



## FIELD DATA SHEET

LAKE: SALMON FALLS RIVER DAM TOWN: ROLLINSFORD

DATE: 09/12/95 WEATHER: WARM & SUNNY


ЕРТН (М)	TEMP (°C)	*DISSOLVED OXYGEN	OXYGEN SATURATION
0.1	20.5	14.0	154 %
1.0	19.0	13.8	146 %
2.0	18.9	11.2	118 %
3.0	18.8	10.6	111 %
4.0	18.5	9.0	95 %
5.0	18.2	8.6	90 %
5.5	18.2	8.7	91 %
	<del>                                     </del>		
			T- 1117
			A11 A11 A11
1.000			

SECCHI DISK (m): 0.4 COMMENTS:

BOTTOM DEPTH (m): 6.0

TIME: 1215

\*Dissolved oxygen values are in mg/L



## AQUATIC PLANT SURVEY

LAKE: SALMON FALLS RIVER DAM TOWN: ROLLINSFORD DATE: 09/12/95 PLANT NAME Key ABUNDANCE **GENERIC** COMMON  ${f L}$ Duckweed Lemna Common/Abun Р Pontederia cordata Pickerelweed Scattered Sparganium Bur reed Sparse Α Sagittaria Arrowhead Sparse Т Typha Cattail Scattered Waterweed е Elodea nuttallii Scattered Ceratophyllum demersum Coontail Scattered D Decodon verticillatus Swamp loosestrife Scattered

### OVERALL ABUNDANCE: Common

## GENERAL OBSERVATIONS:

1. The overall abundance is for the rooted plants -- the duckweed was abundant.